

GlucoMedix[®] - An Extract of *Stevia rebaudiana* and *Uncaria tomentosa* Reduces Hyperglycemia, Hyperlipidemia, and Hypertension in Rat Models Without Toxicity

By León F. Villegas Vélchez,^{1,2} Julio Hidalgo Ascencios,² and Thomas P. Dooley³

Complete References

1. Ritu M, Nandini J. Nutritional composition of *Stevia rebaudiana*, a sweet herb, and its hypoglycaemic and hypolipidaemic effect on patients with non-insulin dependent diabetes mellitus. *J Sci Food Agric*. 2016;96(12):4231-4.
2. Pallarés Á, Carrasco G, Nava Y, Pallarés O, Pérez I, Rifá R, et al. Effectiveness and safety of *Stevia rebaudiana* dried leaves as an adjuvant in the short-term treatment of type 2 diabetes: A randomized, controlled, cross-over and double-blinded trial. *J Med Plant Herbal Ther Res*. 2015;3:16-26.
3. Chan P, Tomlinson B, Chen YJ, Liu JC, Hsieh MH, Cheng JT. A double-blind placebo-controlled study of the effectiveness and tolerability of oral stevioside in human hypertension. *British journal of clinical pharmacology*. 2000;50(3):215-20.
4. Ferri LA, Alves-Do-Prado W, Yamada SS, Gazola S, Batista MR, Bazotte RB. Investigation of the antihypertensive effect of oral crude stevioside in patients with mild essential hypertension. *Phytotherapy research : PTR*. 2006;20(9):732-6.
5. Sharma R, Yadav R, Manivannan E. Study of effect of *Stevia rebaudiana bertonii* on oxidative stress in type-2 diabetic rat models. *Biomedicine & Aging Pathology*. 2012;2(3):126-31.
6. AbdElwahab AH, Yousuf AF, Ramadan BK, Elimam H. Comparative Effects of *Stevia rebaudiana* and Aspartame on hepato-renal function of diabetic rats: Biochemical and Histological Approaches. *Journal of Applied Pharmaceutical Science* 2017;7(08):34-42.
7. Kujur RS, Singh V, Ram M, Yadava HN, Singh KK, Kumari S, et al. Antidiabetic activity and phytochemical screening of crude extract of *Stevia rebaudiana* in alloxan-induced diabetic rats. *Pharmacognosy Res*. 2010;2(4):258-63.



GlucoMedix[®] - An Extract of *Stevia rebaudiana* and *Uncaria tomentosa* Reduces Hyperglycemia, Hyperlipidemia, and Hypertension in Rat Models Without Toxicity

8. Ahmad U, Ahmad RS. Anti diabetic property of aqueous extract of *Stevia rebaudiana* Bertoni leaves in Streptozotocin-induced diabetes in albino rats. *BMC Complement Altern Med*. 2018;18(1):179.
9. Ahmad U, Ahmad RS, Arshad MS, Mushtaq Z, Hussain SM, Hameed A. Antihyperlipidemic efficacy of aqueous extract of *Stevia rebaudiana* Bertoni in albino rats. *Lipids Health Dis*. 2018;17(1):175.
10. Suzuki H, Kasai T, Sumihara M, Sugisawa H. Influence of oral administration of stevioside on levels of blood glucose and glycogen of intact rats. *Nippon Nogei Kagaku Kaishi*. 1977;51:171-3.
11. Domingues A, Sartori A, Golim MA, Valente LMM, Rosa LC, Ishikawa LLW, et al. Prevention of experimental diabetes by *Uncaria tomentosa* extract: Th2 polarization, regulatory T cell preservation or both? . *Journal of ethnopharmacology*. 2011;137:635-42.
12. Mendes PF, Ponce F, Fraga DD, Pípole F, Perazzo FF, Hueza IM. High doses of *uncaria tomentosa* (cat's claw) reduce blood glucose levels in rats. . *Int J Pharm Pharm Sci*. 2014;6(2):410-5.
13. Ahmad R, Hashim HM, Noor ZM, Ismail NH, Salim F, Lajis NH, et al. Antioxidant and antidiabetic potential of Malaysian *Uncaria*. *Research Journal of Medicinal Plant*. 2011;5(5):587-95.
14. Ranilla LG, Kwon YI, Apostolidis E, Shetty K. Phenolic compounds, antioxidant activity and in vitro inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Bioresour Technol*. 2010;101(12):4676-89.
15. Anagnostis P, Athyros VG, Tziomalos K, Karagiannis A, Mikhailidis DP. Clinical review: The pathogenetic role of cortisol in the metabolic syndrome: a hypothesis. *The Journal of clinical endocrinology and metabolism*. 2009;94(8):2692-701.
16. Jeong IK. The role of cortisol in the pathogenesis of the metabolic syndrome. *Diabetes Metab J*. 2012;36(3):207-10.
17. Wagner H, Kreutzkamp B, Jurcic K. [The alkaloids of *Uncaria tomentosa* and their phagocytosis-stimulating action]. *Planta medica*. 1985(5):419-23.
18. Wurm M, Kacani L, Laus G, Keplinger K, Dierich MP. Pentacyclic oxindole alkaloids from *Uncaria tomentosa* induce human endothelial cells to release a lymphocyte-proliferation-regulating factor. *Planta medica*. 1998;64(8):701-4.
19. Nunez C, Lozada-Requena I, Ysmodes T, Zegarra D, Saldana F, Aguilar J. [Immunomodulation of *Uncaria tomentosa* over dendritic cells, il-12 and profile TH1/TH2/TH17 in breast cancer]. *Rev Peru*

GlucoMedix® - An Extract of *Stevia rebaudiana* and *Uncaria tomentosa* Reduces Hyperglycemia, Hyperlipidemia, and Hypertension in Rat Models Without Toxicity

Med Exp Salud Publica. 2015;32(4):643-51.

20. Keplinger K, Laus G, Wurm M, Dierich MP, Teppner H. *Uncaria tomentosa* (Willd.) DC. - Ethnomedicinal use and new pharmacological, toxicological and botanical results. *Journal of ethnopharmacology*. 1998;64(1):23-34.
21. Zhang Q, Yang H, Li Y, Liu H, Jia X. Toxicological evaluation of ethanolic extract from *Stevia rebaudiana* Bertoni leaves: Genotoxicity and subchronic oral toxicity. *Regulatory toxicology and pharmacology* : RTP. 2017;86:253-9.
22. Leiter EH. Selecting the "right" mouse model for metabolic syndrome and type 2 diabetes research. *Methods in molecular biology*. 2009;560:1-17.
23. Leiter EH, Strobel M, O'Neill A, Schultz D, Schile A, Reifsnnyder PC. Comparison of Two New Mouse Models of Polygenic Type 2 Diabetes at the Jackson Laboratory, NONcNZO10Lt/J and TALLYHO/JngJ. *J Diabetes Res*. 2013;2013:165327.
24. Davidson EP, Coppey LJ, Holmes A, Lupachyk S, Dake BL, Oltman CL, et al. Characterization of diabetic neuropathy in the Zucker diabetic Sprague-Dawley rat: a new animal model for type 2 diabetes. *J Diabetes Res*. 2014;2014:714273.
25. Kinghorn AD, Soejarto DD. Discovery of terpenoid and phenolic sweeteners from plants. *Pure and Applied Chemistry*. 2002;74(7):1169-79.
26. Dooley TP. Treating anxiety with either beta blockers or antiemetic antimuscarinic drugs: A review. *Mental Health in Family Medicine*. 2015;11:89-99.
27. Dooley TP, Benjamin AB, Thomas T. Treating Anxiety with a Beta Blocker - Antimuscarinic Combination: A Review of Compounded Atenolol - Scopolamine. *Clinical Psychiatry*. 2019;5(3):63.
28. Dooley TP, Paredes Perez JM, Rengifo Rodriguez C. *Stevia* and *Uncaria* extract (GlucoMedix®) reduces glucose levels and the need for medications in type 2 diabetes: an open label case series of six patients. *Clinical Phytoscience*. 2022; 8:2.



TownsendLetter.com/get-involved