

# Medically Integrated Electrophysiology for the Assessment and Treatment of Cognitive Impairment and Memory Loss

By Andrew Wong, MD, FACP, Tedra James, MA, MS, and David Hagedorn, PhD, BCN

## Complete References

1. Roberts, RO, et al (2008). The Mayo Clinic Study of Aging: Design and sampling, participation, baseline measures and sample characteristics. *Neuroepidemiology*, 30, 58–69.
2. Jeong, J. H., Jung, C., Kim, J., Kim, J. Y., Kim, H. S., Park, Y. C., Lee, J. H., & Jung, I. C. (2021). Investigation of combined treatment of acupuncture and neurofeedback for improving cognitive function in mild neurocognitive disorder: A randomized, assessor-blind, pilot study. *Medicine*, 100(37), e27218.
3. Klimesch, W (1997). EEG-alpha rhythms and memory processes. *Int J Psychophysiol*, 26(1-3), p319-40.
4. Vysata, O, et al (2012). Age-related changes in the energy and spectral composition of EEG. *Neurophysiology*, 44(4), p63-7.
5. Klimesch, W (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: a review and analysis. *Brain Res Rev*, 29, p1690-95.
6. Wahbeh, H and Oken, BS (2013). Peak high-frequency HRV and peak alpha frequency higher in PTSD. *Appl Psychophys Biof*, 38(1), p57-69.
7. Ffytche, D. H., Brønneck, K., & Aarsland, D. (2021). Resting-state EEG alpha/theta ratio related to neuropsychological test performance in Parkinson's Disease. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology*, 132(3), 756–764.
8. Moretti D. V. (2018). Increase of EEG Alpha3/Alpha2 Power Ratio Detects Inferior Parietal Lobule Atrophy in Mild Cognitive Impairment. *Current Alzheimer Research*, 15(5), 443–451.
9. Schumacher, J, Thomas AJ, Peraza LR, Firbank M, Cromarty R, Hamilton CA, Donaghy, PC, O'Brueb Jim Taylor, JP (2020). EEG alpha reactivity and cholinergic system integrity in Lewy body dementia and Alzheimer's disease. *Alzheimer's Research & Therapy*, 1-12. 12:46
10. Hansenne, M (2000). The p300 cognitive event-related potential. II. Individual variability and clinical application in psychopathology. *Clin Neurophysiol* 30(4), p211-31.
11. Deiber, MP, Ammann, C, Hasler, R, Colin, J, Perroud, N, Ros, T. (2021). Electrophysiological correlates of improved executive function following EEG neurofeedback in adult attention deficit hyperactivity disorder. *Clinical Neurophysiology*, 132(8):1937-1946
12. Bennys, K, Rondouin, G, Benattar, E, Gabelle, A, Touchon, J (2011). Can event-related potentials predict the progression of mild cognitive impairment? *Journal of clinical neurophysiology: official publication of the American Electroencephalographic Society*, 28(6), 625-632.
13. Cecchi, M, Moore, DK, Sadowsky, CH, Solomon PR, Doraiswamy, PM, Smith, CD, Jicha, GA, Budson, AE, Arnold, SE, Fadem, KC. (2015). A clinical trial to validate event-related potential markers of Alzheimer's disease in outpatient settings. *Alzheimer's & Dementia*, 1(4), 387-394.
14. Simons, JS and Spiers, HJ (2003). Prefrontal and medial temporal lobe interactions in long-term memory. *Nat Rev Neurosci*, 4(8), p637-48.
15. Caso, F., Cursi, M., Magnani, G., Fanelli, G., Falautano, M., Comi, G., Leocani, L., & Minicucci, F. (2012). Quantitative EEG and LORETA: valuable tools in discerning FTD from A.D.?. *Neurobiology of Aging*, 33(10), 2343–2356.



## Medically Integrated Electrophysiology for the Assessment and Treatment of Cognitive Impairment and Memory Loss

16. Saletu, B, et al (2010). EEG topography and tomography (LORETA) in diagnosis and pharmacotherapy of depression. *Clin EEG Neurosci*, 41(4), 203-10.
17. Nishida, K, et al (2011). Differences in quantitative EEG between frontotemporal dementia and Alzheimer's disease as revealed by LORETA. *Clin Neurophysiol*, 122(9), p1718-25.
18. Nicholson, AA, Ros, T, Densmore, M, Frewen PA, Neufeld, RWJ, Theberge, J, Jetly, R, Lanius, RA (2020). A randomized, controlled trial of alpha-rhythm EEG neurofeedback in posttraumatic stress disorder: a preliminary investigation showing evidence of decreased PTSD symptoms and restoring default mode and salience network connectivity using fMRI. *NeuroImage: Clinical* 28(102490):1-15.
19. Klink, K., Jaun, U., Federspiel, A., Wunderlin, M., Teunissen, C. E., Kiefer, C., Wiest, R., Scharnowski, F., Sladky, R., Haugg, A., Hellrung, L., & Peter, J. (2021). Targeting hippocampal hyperactivity with real-time fMRI neurofeedback: protocol of a single-blind randomized controlled trial in mild cognitive impairment. *BMC psychiatry*, 21(1), 87.
20. Çetin, F., Gıca, Ş, Uytun, M., Babadağı, Z., Usta, M., Güven, A., & Işık, Y. (2021). Increase in brain connectivity with methylphenidate treatment in boys diagnosed with attention deficit hyperactivity disorder: A coherence-based qeeg analysis. *European Psychiatry*, 64(S1), S634-S635.
21. Arns, M., Clark, C. R., Trullinger, M., deBeus, R., Mack, M., & Aniftos, M. (2020). Neurofeedback and Attention-Deficit/Hyperactivity-Disorder (ADHD) in Children: Rating the Evidence and Proposed Guidelines. *Applied psychophysiology and biofeedback*, 45(2), 39–48.
22. Jiang, Y., Abiri, R., & Zhao, X. (2017). Tuning Up the Old Brain with New Tricks: Attention Training via Neurofeedback. *Frontiers in aging neuroscience*, 9, 52.
23. Garcia Pimenta, M., Brown, T., Arns, M., & Enriquez-Geppert, S. (2021). Treatment Efficacy and Clinical Effectiveness of EEG Neurofeedback as a Personalized and Multimodal Treatment in ADHD: A Critical Review. *Neuropsychiatric disease and treatment*, 17, 637–648.
24. Huang, X. X., Ou, P., Qian, Q. F., & Huang, Y. (2021). Long-term effectiveness of behavioural intervention in preschool children with attention deficit hyperactivity disorder in Southeast China - a randomized controlled trial. *BMC pediatrics*, 21(1), 561.
25. Ruben, R, de la Vega, R, Jensen, MP, Miro, J (2020). Neurofeedback for pain management: a systemic review. *Frontiers in Neuroscience*, 14(671),1-22.
26. Tseng, YH, Tamura, K, Okamoto, T (2021). Neurofeedback training improves episodic and semantic long-term memory performance. *Nature: Scientific Reports*, 11(17274):1-11.
27. Angelakis, E, Stathopoulou, S, Frymiare, JL, Green DL, Lubar, JF, Kounios, J. (2007). EEG neurofeedback: A brief overview and an example of peak alpha frequency training for cognitive enhancement in the elderly. *Clin. Neuropsychol.* 21, 110–129.
28. Luijmes, RE, Pouwels, S, Boonman, J (2016). The effectiveness of neurofeedback on cognitive functioning in patients with Alzheimer's disease: Preliminary results. *Neurophysiologie Clinique/Clinical Neurophysiology*, 46(3):179-187.
29. Surmeli, T, Eralp, E, Mustafazade, I, Kos, H, Ozer, EG, Surmeli, O (2015). Quantitative EEG neurometric analysis-guided neurofeedback treatment in dementia: 20 cases. How neurometric analysis is important to the treatment of dementia and as a biomarker? *Clinical EEG and Neuroscience*, 47(2):118-133.
30. Lavy, Y., Dwolatzky, T., Kaplan, Z., Guez, J., & Todder, D. (2019). Neurofeedback Improves Memory and Peak Alpha Frequency in Individuals with Mild Cognitive Impairment. *Applied psychophysiology and biofeedback*, 44(1), 41–49.
31. Lavy, Y., Dwolatzky, T., Kaplan, Z., Guez, J., & Todder, D. (2021). Mild Cognitive Impairment and Neurofeedback: A Randomized Controlled Trial. *Frontiers in aging neuroscience*, 13, 657646.

